


[Sign in](#)

**Web** Results 11 - 20 of about 115 for +"boolean expression" +"false positive" +"false negative". (0.08 sec)

[PS] [Static Analysis of Executables to Detect Malicious Patterns Mihai ...](#)

File Format: Adobe PostScript - [View as HTML](#)

C is a **boolean expression** combining one or more static analysis predicates over program ... We found that SAFE's **false positive** and negative rate were 0. ...

[www.cs.wisc.edu/wisa/papers/tr1467/tr1467.ps](http://www.cs.wisc.edu/wisa/papers/tr1467/tr1467.ps) - [Similar pages](#)

[ [More results from www.cs.wisc.edu](#) ]

[PS] [Simple Maximum Likelihood Methods for the Optical Mapping Problem ...](#)

File Format: Adobe PostScript - [View as HTML](#)

**False negative** errors can be easily eliminated by increasing the number of scanned images. It is more difficult to eliminate the **false positive** errors ...

[www-hto.usc.edu/people/msw/opticalmapping.ps](http://www-hto.usc.edu/people/msw/opticalmapping.ps) - [Similar pages](#)

[PDF] [Static Analysis of Executables to Detect Malicious Patterns](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

tions, and C is a **boolean expression** combining one or more static analysis predicates over ... **false positive** and negative rates. We constructed ten ...

[www.cs.cornell.edu/courses/cs711/2005fa/papers/cj-usenix03.pdf](http://www.cs.cornell.edu/courses/cs711/2005fa/papers/cj-usenix03.pdf) - [Similar pages](#)

[Center for Bioinformatics: CBIL: Lab. meetings](#)

GLEAN uses latent class analysis (LCA) to estimate **false positive** (FP) and **false negative** (FN) rates for identification of start, stop, donor, and acceptor ...

[www.cbil.upenn.edu/lab\\_meetings.php3](http://www.cbil.upenn.edu/lab_meetings.php3) - 85k - [Cached](#) - [Similar pages](#)

[Chang, C.; Garcia-Molina, H.: Approximate Query Translation](#)

We can view a query as a **Boolean expression** of constraints of the form ... M **false-positive false-negative** Figure 1: Venn diagram of a query Q and its ...

[dbpubs.stanford.edu/pub/1999-38](http://dbpubs.stanford.edu/pub/1999-38) - 78k - [Cached](#) - [Similar pages](#)

[PDF] [Real-time log file analysis using the Simple Event Correlator \(SEC\)](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A **false negative** occurs when an event that indicates a problem is not reported. A **false positive** results when a benign event is reported as a problem. ...

[www.cs.umb.edu/~rouilj/sec/sec\\_paper.pdf](http://www.cs.umb.edu/~rouilj/sec/sec_paper.pdf) - [Similar pages](#)

[Palingol: a declarative programming language to describe nucleic ...](#)

Each helix section is composed of one **boolean expression** (usually containing several boolean ... True positive. **False positive**. **False negative**. tRNAscan ...

[nar.oxfordjournals.org/cgi/content/full/24/8/1395](http://nar.oxfordjournals.org/cgi/content/full/24/8/1395) - [Similar pages](#)

[PS] [An Algorithmic Approach to Design Exploration Sharon Barner ...](#)

File Format: Adobe PostScript - [View as HTML](#)

... the user must work carefully to avoid **false negative** and **false positive** results ... The Satisfying Condition: a **Boolean expression** over design signals. ...

[www.haifa.il.ibm.com/dept/svt/papers/PF\\_FME02.ps](http://www.haifa.il.ibm.com/dept/svt/papers/PF_FME02.ps) - [Similar pages](#)

[PDF] [Classification to ordinal categories using a search partition ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

&forced' into the **Boolean expression** as follows: if P'+ ... cost of a **false negative** ten


times that of a **false positive** ( "10) and then repeated the ...  
www.health.auckland.ac.nz/population-health/ epidemiology-  
biostats/span/sim\_ordinals.pdf - [Similar pages](#)

[PDF] [Protocol Analysis in Intrusion Detection Using Decision Tree](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Nevertheless, IDS are plagued with **false positive** alerts, letting security professionals to ...  
detection time but increases the number of **false negative**. ...

webloria.loria.fr/~rusi/pub/decisiontree.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



±"search partition analysis"

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

Scholar

Results 1 - 9 of 9 for ±"search partition analysis". (0.09 seconds)

Tip: Try removing quotes from your search to get more results.

Classification to ordinal categories using a search partition methodology with an application in ... - group of 3 »

RJ Marshall - Statistics in Medicine, 1999 - doi.wiley.com

... SUMMARY A method is proposed for classification to ordinal categories by applying the **search partition analysis** (SPAN) approach. ...

Cited by 5 - [Web Search](#) - [BL Direct](#)

A Program to Implement a Search Method for Identification of Clinical Subgroups

RJ Marshall - STATISTICS IN MEDICINE, 1995 - ncbi.nlm.nih.gov

... The method, **search partition analysis** (SPAN), is formulated in terms of a numeric outcome variable y and a set of predictors, explanatory variables or risk ...

Cited by 7 - [Web Search](#) - [BL Direct](#)

Generation of Boolean classification rules

RJ Marshall - Proceedings of CompStat, 2000 - auckland.ac.nz

... The algorithm is implemented in **search partition analysis** soft-ware (SPAN), a program designed to find an optimal binary data partition. ...

Cited by 3 - [View as HTML](#) - [Web Search](#)

Determining and visualising at-risk groups in case-control data - group of 4 »

RJ MARSHALL - Journal of Epidemiology and Biostatistics, 2001 - Taylor & Francis

... The method of determining sub-groups — **search partition analysis** (SPAN) — searches among different Boolean combinations of risk factors. ...

Cited by 1 - [Web Search](#)

Comparison of misclassification rates of **search partition analysis** and other classification methods - group of 2 »

RJ Marshall - doi.wiley.com

... DOI: 10.1002/sim.2488 Comparison of misclassification rates of **search partition analysis** and other classification methods Roger J. Marshall □;† ...

[Web Search](#)

A Manual for SPAN© Roger J. Marshall Dept of Community Health, University of Auckland, New Zealand

CFAQ Home - auckland.ac.nz

... a number of features. However, the thrust for development of the program and its prime role has been to implement **Search Partition Analysis**. This is a statistical ...

[View as HTML](#) - [Web Search](#)

A Manual for SPAN© Roger J. Marshall Dept of Community Health, University of Auckland, New Zealand

CFAQ Home - auckland.ac.nz

... SPAN is a program to implement **Search Partition Analysis**, as described in references 1, 2 and 7. It also implements various other statistical procedures ...

[Cached](#) - [Web Search](#)

Displaying clinical data relationships using scaled rectangle diagrams - group of 4 »

RJ Marshall - Statistics in Medicine, 2001 - doi.wiley.com

... skinny rectangles. Scaled rectangle diagrams can be drawn as a facility of

**search partition analysis** (SPAN) software [18]. The program ...

Cited by 3 - Web Search - BL Direct

Früherkennung der Schizophrenie anhand subjektiver Beschwerdeschilderungen: ein methodenkritischer ... - group of 5 »

G von Vorhersagemodellen - kups.ub.uni-koeln.de

... 55 2.2.3.1 **Search Partition Analysis** 61 2.2.4 Grob-Mengen-Theorie 65 ... 127 4.2.6 **Search**

**Partition Analysis** 129 4.2.7 Diagnostische Effizienzindizes 131 ...

View as HTML - Web Search

+ "search partition analysis"

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google